



माछापुच्छ्रे गाउँपालिका
Machhapuchchhre Rural Municipality
गाउँ कार्यपालिकाको कार्यालय
Office of The Rural Municipal Executive



पत्र संख्या/ Letter No.

०८२१०८३

चलानी नं/Issue No.

२२०३



लाहाचोक, कास्की
Lahachowk, Kaski
गण्डकी प्रदेश, नेपाल
Gandaki Province, Nepal


मिति: २०८३।०९।१५

विषय: दर रेट पेश सम्बन्धमा ।

श्री आपूर्तिकर्ताहरु सबै,

प्रस्तुत विषयमा यस माछापुच्छ्रे गाउँपालिकामा आ. व २०८२।८३ को लागि यस माछापुच्छ्रे गाउँपालिकाको कार्यालय अन्तर्गतका विद्यालयहरुमा Smart Board with trolley stand खरिद तथा जडान कार्य गर्नुपर्ने भएकोले के कति दर रेटमा उपलब्ध गराउन सकिन्छ सो को प्रति इकाई मुल्य सहित तपशिल अनुसारका इस्पेशिफिकेसन तथा कागजात संलग्न गरी ७ दिन भित्र सिलबन्धी सहित दररेट उपलब्ध गराउनु हुन सम्बन्धित सबैमा अनुरोध छ। तपशिल

- १ दर रेट सहित प्रति इकाई मुल्य पेश गरेको ब्यहोराको निवेदन।
- २ कारोबार सञ्चालनका लागि अनुमति प्राप्त प्रमाण पत्र प्रतिलिपी र सम्बन्धित कागजात।
- ३ Pan तथा Vat मा दर्ता भएको प्रमाण पत्र प्रतिलिपी ।
- ४ २०८१।८२ को कर चुक्ता प्रमाण पत्रको प्रतिलिपी।
- ५ सुचिकृत नभएको भए सो को लागि निवेदन तथा आवश्यक कागजात।


(केशव सुवेदी)
प्रमुख प्रशासकीय अधिकृत
प्रमुख प्रशासकीय अधिकृत


Machhapuchchhre Rural Municipality
Office of the Rural Municipality Executive
Lahachowk, Kaski

Technical Specification and per uniCost Estimation of 75-inch Interactive Smart Board:


SN	PARTICULARS	QUANTITY	RATE	AMOUNT
1	75-inch Interactive Smart Board, installation and Configuration, double-face power socket & wiring, transportation. Heavy Metallic Trolley Stand	1		
Total				
Vat				
Grand total with VAT				

Technical Specification

Android System Parameter-	
Operating System:Android 14, CPU Architecture:8-Core Process, Processor Speed:Maximum clock speeds up to 2.2 GHz, Memory (RAM):8GB DDR4 or higher, Storage (ROM):128 GB Internal Storage or higher, Graphics (GPU):G52 -8 or better, Updates:Integrated application for periodic OTA updates via the internet, Multi-Tasking:Support for multiple applications running concurrently in real-time	
Display & Touch Specifications	
Size:75-inch, Resolution:3840 x 2160 or Better, Backlight Type: D-LED (Direct LED), Panel Type: IPS Grade Panel with 1.07 Billion Colors (10-bit), Brightness:≥400 cd/m ² or higher, Touch Points: Minimum 50-point simultaneous touch, Contrast Ratio:5000:1 or higher, Response Time:<8Ms, Refreshing Frequency:60Hz, Panel Orientation & Aspect Ratio:16:9, Touch Response Time: ≤8ms, Viewing Angle: Real 178° or better viewing angle, Screen Life: At least 50,000 hours or Higher	
Advanced Default Whiteboard Features & AI Integration	
Whiteboard Split	Screen split into 2-3 parts with separate touch and color options for each user.
Embedded Search	Built-in Google Search directly within the whiteboard app.
PDF Tools	Open, read, and annotate PDF files with handwriting recognition and smart shape detection.
Educational Tools	Ruler, compass, Protector, calculator, and 3D shapes (Cube, Cone, Cylinder, Lattice)
Cloud Integration	Save to Internal Storage, Google Drive, or OneDrive via QR code or direct login.
Team Collaboration	Integrated Multi-Class Team Tool for simultaneous online collaboration across different locations.
Additional default Apps	Built-in Timers, Vote Kit, and "Circle to Search", QR-Scan through data transfer app functionality.
System Language Support	Default English, Nepali, and other languages in Android OS
Connectivity, Hotspot & NFC	
Google Services	Native integration with Google Meet and Google Calendar
Wi-Fi / Hotspot	Wi-Fi 5or higher


केशव सुवेदी
प्रमुख प्रशासकीय अधिकृत

Screen Mirroring	Wireless support for Linux, Windows, macOS, iOS, and Android with Two-Way Control
Bluetooth	Bluetooth version 5.3
Remote Control	Wireless IR Remote Controller specifically for Smart Board functions
Apps Download Sources	Google Play Store for downloading Android applications
Audio-Visual & Conferencing	
Max.Power Output	Total 40W (2*20W) or higher
Speaker Position	Seamlessly mounted in lower side of the display. Front facing, Forward through
Rated Impedance	15Ω (±15%)
Interface (I/O Port)	
Responding speed	<2 ms
Language	all language support
Minimum Requirement of AV Input Ports	HDMI IN *2, USB2.0 *1, USB 3.0*1, TOUCH USB *1, coax out*1, RJ45 IN*1, Minin AV IN*1, Mic In *1, PC*1, Mini USB*1 , Type C*1 , USB *3, HDMI*1, TOUCH*1
Environmental & Compliance	
Operating Temp:0°C to +40°C, Storage Temp:-10°C to +60°C, Altitude:Operating capability up to ≤5000 meters, Power Requirements: AC 100V ~ 240V, 50/60 Hz, Standby Condition: <0.5W, Housing Material: Aluminum/Metal plate	
Free Accessories	
Normal Magnetic writing Pen*2, Remote Controller*1, Wall Mount bracket*1, 3m HDMI Cable*1, Touch Cable*1, Expansion Screw*8 , 3m Power Cord, Instruction manual *1, Warranty card*1 Or more	
Product Certification, Authorization, and Warranty	
CE, FCC & ISO Certified product. 3 Years full Product Warranty. Training & Tech Support Online Provides.	
Heavy Metallic Trolley Stand	
For T.V. Panels: 60-100", Vesa 200*200 – 1000*600mm, Max load: 150 kg, Size:1720*630*85, with locking Wheel	


 (Keshav Subedi)
 Chief Administrative Officer
केशव सुवेदी
 प्रमुख प्रशासकीय अधिकृत